


RECEIVED
CENTRAL FAX CENTER

MAR 30 2005

Certificate Of Facsimile Transmission (37 CFR 1.8a)

I hereby certify that this paper (along with any document or fee referred to as being attached or enclosed), consisting of 35 pages, is being sent by facsimile on the date shown below to the Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450, at facsimile number (703) 872-9306.

March 30, 2005
Date


Marcee G. Lundeen

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

APPLICANT: James Feine	§	
	§	Group Art Unit: 3732
SERIAL NO.: 10/065,991	§	
	§	EXAMINER: Melba N. Bumgarner
FILED: December 7, 2002	§	
	§	
TITLE: ULTRASONIC DENTAL	§	
INSERT	§	

INFORMATION DISCLOSURE STATEMENT

Atty. Docket No.: USI-42
Date: March 30, 2005

Honorable Commissioner for Patents
Box Patent Application
Washington, D.C. 20231

Dear Sir:

In compliance with applicant's duty of candor and good faith, this statement is submitted according to Rules 97 and 98. The following references are cited herewith for consideration by the Examiner in connection with the examination of the above referenced application:

IDS
10/065,991.
James Feine

Non-Patent Publications

A.D. WALMSLEY et al., "Breakage of ultrasonic root-end preparation tips," J. Endod., June 1996, 287 - 89, Vol. 22(6).

C. KOBAYASHI et al., "A new ultrasonic canal preparation system with electronic monitoring of file tip position," J. Endod., Sept. 1996, 489 - 92, Vol. 22(9).

C.L. WALSH et al., "Effect of varying the ultrasonic power setting on canal preparation," J. Endod., June 1990, 273 - 78, Vol. 16(6).

"Powering the calculus away" located at
<http://www.dimensionsofdentalhygiene.com/print.asp?id=464>, post 2003.

"CAVITRON® Ultrasonic Inserts: Directions for use," product literature from DENTSPLY® Preventative Care, form print version March 1999.

Ultrasonic Insert product literature from Hu-Friedy Mfg. Co., Inc., undated prior art.

PETER CANCELLIER, "ROOTS SUMMIT 4 Summaries, Peter Cancellier's Ultrasonic Tip Comparisons", available at <http://www.endoexperience.com/Summit%204%20cancellier.htm>, post 2002.

DR. J. F. CARLSON, "Periodontal Instrumentation: Sonic and Ultrasonic Instrumentation," presented at the University of Minnesota, Nov. 11, 2004.

"Instructions for Use: BUC® Non-Surgical Ultrasonic Endodontic Instruments", undated prior art.


The date for "Powering the calculus away" is based upon the recognition of a 2003 award mentioned on page 3. The date for "Roots Summit 4" is based upon the dates for Roots Summit 1 (2001) and Roots Summit 2 (2002) mentioned in the web page providing the link (also attached).

A copy of the foregoing are enclosed, and are listed on Form PTO-1449 submitted herewith for the convenience of the examiner. Please charge deposit

IDS
10/065,991
James Feine

account 501285/DNL/USI-42 in the amount of \$180.00 for the fee for filing the Information Disclosure Statement and any other fees that may be associated with this communication.

Respectfully submitted,



Daniel N. Lundeen
Patent Reg. No. 31,177
Lundeen & Dickinson LLP
PO Box 131144
Houston, Texas 77219
(713) 652-2555 Telephone
(713) 652-2556 Facsimile

PTO/SB/08B (08-03)

Approved for use through 07/31/2006. CMB 0651-0031
U.S. Patent and Trademark Office, U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Substitute for form 1449/PTO

**INFORMATION DISCLOSURE
STATEMENT BY APPLICANT**

(Use as many sheets as necessary)

Complete if Known

INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use as many sheets as necessary)	Application Number		10/065,991
	Filing Date		12-07-2002
	First Named Inventor		James Feine
	Art Unit		3732
	Examiner Name		Melba N. Bumgarner
Sheet	1	of	1
Attorney Docket Number		USI-42	

NON PATENT LITERATURE DOCUMENTS

Examiner Initials*	Cite No. ¹	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.	T ²
		A.D. WALMSLEY et al., "Breakage of ultrasonic root-end preparation tips," J. Endod., June 1996, 287 - 89, Vol. 22(6).	
		C. KOBAYASHI et al., "A new ultrasonic canal preparation system with electronic monitoring of file tip position," J. Endod., Sept. 1996, 489 - 92, Vol. 22(9).	
		C.L. WALSH et al., "Effect of varying the ultrasonic power setting on canal preparation," J. Endod., June 1990, 273 - 78, Vol. 16(6).	
		"Powering the calculus away" located at http://www.dimensionsofdentalhygiene.com/print.asp?id=464 , post 2003	
		"CAVITRON® Ultrasonic Inserts: Directions for use," product literature from DENTSPLY® Preventative Care, form print version March 1999.	
		Ultrasonic Insert product literature from Hu-Friedy Mfg. Co., Inc., undated prior art.	
		PETER CANCELLIER, "ROOTS SUMMIT 4 Summaries, Peter Cancellier's Ultrasonic Tip Comparisons", available at http://www.enduexperience.com/Summit%204%20cancellier.htm , post 2002.	
		DR. J. F. CARLSON, "Periodontal Instrumentation: Sonic and Ultrasonic Instrumentation," presentation, Nov. 11, 2004.	
		"Instructions for Use: BUC® Non-Surgical Ultrasonic Endodontic Instruments", undated prior art.	

Examiner Signature		Date Considered	
---------------------------	--	------------------------	--

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

1 Applicant's unique citation designation number (optional). 2 Applicant is to place a check mark here if English language Translation is attached.

This collection of information is required by 37 CFR 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 (1-800-786-9199) and select option 2.